

GTK6105A/6130A



车型介绍 Model Introduction

GTK6105A&6130A系列，专为澳洲市场开发设计，全车骨架均采用芬兰进口高品质不锈钢材质，提升了车辆的防腐性能，延长了使用寿命；侧围及顶盖采用整体式复合材料蒙皮，提升整车平整度及隔音性能；前铝合金保险杠设计大大增加了车辆防撞承受力，提升了驾乘人员的安全防护。全车系集美观、环保和实用为一体。

GTK6105A&6130A series are specially developed and designed for the Australian market. The whole bus frame is made of high-quality stainless steel imported from Finland, which improves the anti-corrosion performance of the vehicle and prolongs the service life; the side wall and roof adopt integral composite material skin to enhance the whole vehicle flatness and sound insulation performance; the front aluminum alloy bumper design greatly increases the vehicle's anti-collision endurance and improves the safety protection of drivers and passengers. The whole bus series is beautiful, environmentally friendly and practical.

<>全系设计尊重使用者的驾乘体验，车内符合人体工程学布局，让空间更为舒适；全车均采用环保材质，呵护驾乘人员健康；配有音乐、电影、阅读设备，让您一路轻松愉快，乐趣无穷！

The design of the whole series respects the driving experience of users, and the ergonomic layout of the bus makes the space more comfortable; the whole bus is made of environmentally friendly materials to protect the health of the drivers and passengers; it is equipped with music, movies, and reading equipment to let you go all the way Easy and happy, endless fun!

仪表台表面配有UV防护垫，确保在高强度阳光长时间照射下，正常工作。仪表台所有开关均朝向司机，确保司机坐立姿态能够轻松操作，仪表台左侧的杂物盒，做了加深处理，方便司机放置随身小物品。仪表台上的检修锁采用方便手动打开的锁型，确保检修及时、方便。

The surface of the instrument panel is equipped with UV protection pads to ensure normal operation under high-intensity sunlight for a long time. All switches on the instrument panel are facing the driver to ensure that the driver can easily operate the sitting and standing posture. The sundries box on the left side of the instrument panel has been deepened to facilitate the driver to place his personal belongings. The maintenance lock on the instrument panel adopts a lock type that is convenient for manual opening, ensuring timely and convenient maintenance.

>外观展示 Appearance Display



正面展示FRONT DISPLAY



侧面展示SIDE DISPLAY



背面展示BACK DISPLAY

Interior Display



方向盘 BACK DISPLAY



车舱 BACK DISPLAY




内饰 BACK DISPLAY


#参数配置 Parameter Configuration

Vehicle Type 整车型号	GTK6105	GTK6130
Overall Dimensions 总尺寸(L*W*H)	10500*2500*3600 mm	12360*2500*3600 mm
Max. Speed 最高速度	120 km/h	
Max. Loading Mass 最大总质量	16000KG	18025KG
Seats Capacity (pcs) 载客量	45+1(2+2)/option	57+1(2+2) /option
Engine Type 发动机型号	Cummins/Yuchai/Weichai	
Transmission Type 变速箱型号	Manual/Automatic	
Emission Standard 排放	Euro II/11/IV/VI	
Fuel Type 燃料类型	Diesel/Electric	

#座椅布置 Seat Layout



GTK6105



GTK6130

GTK6110/6120

车辆制造



车型介绍 Model Introduction

①GTK6110与6120专门为香港和出口市场开发的旅游车。采用进口底盘或国VI/EuroVI排放引擎。
GTK6110 and 6120 are touring vehicles developed specifically for Hong Kong and export markets. It adopts imported chassis or national VI/Euro VI emission engine.

(x) 配备LDWS、ESGAEBES和其他辅助驾驶设施，以确保车辆的安全性能。
Equipped with LDWS, ESC, AEBS and other auxiliary driving facilities to ensure the safety performance of the vehicle.

<x> 前乘客门+中乘客门+左/右安全门。
Front passenger door + middle passenger door + left/right safety door.

国气平移行行李箱门+手动平移行李箱门各种配套。
Pneumatic translation luggage door + manual translation luggage door all kinds of matching.

<t> 拥有时尚奢华的外形、精致环保的内饰，带有USB充电、LED阅读灯，舒适安静的科技空间，让人尽享全程。
It has a stylish and luxurious appearance, exquisite and environmentally friendly interior, with USB charging, LED reading lights, and a comfortable and quiet technological space, making people enjoy the whole journey.

<x> 拥有符合人机工程学的功能布局，让空间更为舒畅。人性化的座椅设计，不仅可以减少司机的疲劳感，也让乘客倍感舒适。空调一键换新风，车内空气流通让人身心舒畅。内饰采用新环保工艺，地板革采用环保材料，更呵护您的健康。
It has an ergonomic functional layout to make the space more comfortable. The humanized seat design can not only reduce the fatigue of the driver, but also make passengers feel more comfortable. The airconditioner can be replaced with fresh air by one button, and the air in the car is circulated, which makes people feel comfortable. The interior adopts new environmental protection technology, and the floor leather adopts environmental protection materials, which will take care of your health.

(x) 按照人机工程学原理设计的座椅，从支撑位置、材料选择、结构等方面入手，保证靠背的舒适性和安全性。
The seat designed according to the principles of ergonomics starts with the support position, material selection, structure and other aspects to ensure the comfort and safety of the backrest.

<ε> 车身骨架关键结构采用高强度钢材料，具有重量刚性强等特点。经过CAE分析计算和侧翻试验验证，安全性满足欧洲ECE R66-01 (Rev.I)法规要求，车辆在侧翻过程中，保持有完整的生存空间。
The key structure of the body frame adopts high-strength steel material, which has the characteristics of light weight and strong rigidity. After CAE analysis and calculation and rollover test verification, the safety meets the European ECE R66-01 (Rev.I) regulations, and the vehicle maintains a complete living space during the rollover process.

>外观展示 Appearance Display



正面展示FRONT DISPLAY



侧面展示SIDE DISPLAY



背面展示BACK DISPLAY

Interior Display



驾驶室 CONTROLS




车舱 CABIN


#参数配置 Parameter Configuration

Vehicle Type 整车型号	GTK6110	GTK6120
Overall Dimensions 总尺寸(L*W*H)	10980*2520*3500 mm	11980*2500*3500 mm
Max. Speed 最高速度	120 km/h	
Max. Loading Mass 最大总质量	15500KG	18000KG
Seats Capacity (pcs) 载客量	47+1(2+2)/option	53+1(2+2) /option
Engine Type 发动机型号	Weichai /Yuchai/Cummins	
Transmission Type 变速箱型号	Manual/Automatic	
Emission Standard 排放	Euro II/III/IV /VI	
Fuel Type 燃料类型	Diesel/Electric	

#座椅布置 Seat Layout



GTK6110



GTK6120

GTK6121

专门为车辆长途旅行设计
Designed for long-distance travel of vehicles

底盘内置安全功能
Built-in safety features

舒适的乘车享受
Comfortable ride



GTK6121车型是型号中的主力军。无论您需要的是一辆豪华旅游车还是一辆舒适的包车，它都将超出您的预期。高燃油效率的欧6发动机将降低您的运营成本，GTK6121的高质量保证了客车卓越的功能、乘客的舒适性。
The GTK6121 model is the main force in the model. Whether you need a luxury coach or a comfortable chartered bus, it will exceed your expectations. The highly fuel-efficient Euro 6 engine will reduce your operating costs. The high quality of GTK6121 guarantees the excellent functions of the bus and the comfort of passengers.

康明斯，欧6发动机甚至比其他发动机更省油，在降低油耗的同时保持动力输出和扭矩。只有9升的排量和大约400马力，使其更有效率。通过ZF Ecolife 6速变速箱，即刻提升车辆工作效率。
Cummins, Euro 6 engine is even more fuel efficient than other engines, reducing fuel consumption while maintaining power output and torque. Only 9 liters of displacement and about 400 horsepower make it more efficient. Through the ZF Ecolife 6-speed gearbox, the efficiency of the vehicle is immediately improved.

每一位试驾者都会爱上这种驾驶体验。灵便的道路操控性和强大的引擎功能交相呼应，驾驶者会有与GTK6121融为一体的舒适感觉。ZF 6速自动变速器是专门为车辆长途旅行而设计，即使在提速过程中，也能为乘客提供平稳愉快的乘坐体验。而ZF独立轴设计，也为每一位乘坐者提供了更加舒适的乘车享受。
Every test driver will love this driving experience. The agile road handling and powerful engine functions echo each other, and the driver will have the comfortable feeling of being integrated with GTK6121. The ZF 6-speed automatic transmission is specially designed for long-distance travel of vehicles, and can provide passengers with a smooth and pleasant riding experience even during the speed-up process. The ZF independent shaft design also provides every passenger with a more comfortable ride.

GTK6121底盘的客车得益于几个关键的内置安全功能。制动和道路操纵是底盘的主要优势。车辆的特殊框架设计，起到了在极端情况下保护驾驶员与乘客的安全的作用。
Passenger buses with GTK6121 chassis benefit from several key built-in safety features. Braking and road handling are the main advantages of the chassis. The special frame design of the vehicle plays a role in protecting the safety of the driver and passengers in extreme situations.

外观展示 Appearance Display



正面展示FRONT DISPLAY



侧面展示SIDE DISPLAY



背面展示BACK DISPLAY

内饰展示 Interior Display



驾驶室 CONTROLS



车舱 CABIN




车舱 CABIN

#参数配置 Parameter Configuration

Vehicle Type 整车型号	GTK6121
Overall Dimensions 总尺寸(L*W*H)	12350*2540*3520mm
Max. Speed 最高速度	120 km/h
Max. Loading Mass 最大总质量	19000KG
Seats Capacity (pcs) 载客量	55+1(2+2) /Option
Engine Type 发动机型号	Weichai /Yuchai/Cummins
Transmission Type 变速箱型号	Manual/Automatic
Emission Standard 排放	Euro III/II 1/IV/V/VI
Fuel Type 燃料类型	Diesel/Electric

#座椅布置 Seat Layout



GTK6121

GTK6125

全面的驾驶乐趣 ---
Comprehensive driving pleasure

世界一流的
World-class safety



世界一流的环保性
World-class environmental performance

车型介绍 Model Introduction

① GTK6125 为我公司主打产品。它不仅满足您的欧盟标准，并且将超越您的期望值。具有高燃油效率的欧式发动机将降低您的运营成本。GTK6125 的高质量确保了公共汽车的出色功能和乘客的舒适度。

GTK6125 is the flagship product. It will not only meet your EU standards, but will exceed your expectations. European engines with high fuel efficiency will reduce your operating costs. The high quality of GTK6125 ensures the excellent functions of the bus and the comfort of passengers.

② 该发动机可以是潍柴/康明斯, Euro2-6/China 6 发动机, 低油耗, 高可靠性, 高输出功率和扭矩。仅10升的排量和约375马力的功率使其效率更高。ZF6AP 2000 B 变速箱可以立即提高车辆的工作效率。

The engine can be Weichai/Cummins, Euro2-6/China 6 engine, low fuel consumption, high reliability, high output power and torque. The displacement of only 10 liters and the power of about 375 horsepower make it more efficient. The ZF 6AP 2000 B gearbox can immediately improve the efficiency of the vehicle.

全面的驾驶乐趣, 世界一流的的安全性和环保性能。

Comprehensive driving pleasure, world-class safety and environmental performance.

> 外观展示 Appearance Display



正面展示 FRONT DISPLAY



侧面展示 SIDE DISPLAY



背面展示 BACK DISPLAY

内饰展示 Interior Display



驾驶室 CONTROLS



车舱 CABIN



车舱 CABIN

参数配置 Parameter Configuration

Vehicle Type 整车型号	GTK6125
Overall Dimensions 总尺寸(L*W*H)	12000*2540*3700 mm
Max. Speed 最高速度	120 km/h
Max. Loading Mass 最大总质量	19000KG
Seats Capacity (pcs) 载客量	51+1 (2+2) /Option
Engine Type 发动机型号	Yuchai/Weichai /Cummins/Option
Transmission Type 变速箱型号	Manual/Automatic
Emission Standard 排放	Euro II/111/IV/V/VI
Fuel Type 燃料类型	Diesel/Electric

GTK6129

纯电/零排放
Pure electricity and zero emissions



辅助驾驶设施
Auxiliary driving facilities

无障碍低地板结构
The barrier-free low-floor structure

车型介绍 Model Introduction

<x> GTK6129BEVB是我公司主要的公交系列车型。符合欧盟标准，并且会超出您的期望。纯电,零排放，节能降耗,降低您的运营成本。GTK6129BEVB的高质量确保了公共汽车的出色功能和乘客的舒适度。

GTK6129BEVB is the main bus series. Meets EU standards and will exceed your expectations. Pure electricity, zero emissions, energy saving and consumption reduction, reduce your operating costs. The high quality of GTK6129BEVB ensures the excellent functions of the bus and the comfort of passengers.

配备LDWS,AEBS,ECAS系统和其他辅助驾驶设施，以确保车辆的安全性能。
Equipped with LDWS, AEBS, EGAS system and other auxiliary driving facilities to ensure the safety performance of the vehicle.

整车的无障碍低地板结构符合欧盟标准。
The barrier-free low-floor structure of the vehicle complies with EU standards.

全面的驾驶乐趣，世界一流的安全性和环保性能。
Comprehensive driving pleasure, world-class safety and environmental performance.

> 内饰展示 Interior Display



驾驶室 CONTROLS



车舱 CABIN

/ 参数配置 Parameter Configuration

Vehicle Type 整车型号	GTK6129
Overall Dimensions 总尺寸(L*W*H)	11990*2550*3280 mm
Max. Speed 最高速度	80 km/h
Max. Loading Mass 最大总质量	18000KG
Seats Capacity (pcs) 载客量	30+2+1 (2+2)/Option
Engine Type 发动机型号	Weichai /Yuchai/Cummins
Emission Standard 排放	Euro II /III/IV/V /VI
Fuel Type 燃料类型	Diesel/Electric

> 外观展示 Appearance Display



正面展示FRONT DISPLAY




侧面展示SIDE DISPLAY



背面展示BACK DISPLAY

■ 座椅布置 Seat Layout



GTK6129

GTK6760/6776 6826 6836

内部或外部空调
Internal or external air conditioning

前置引擎
Front engine

平移行李门
Translation luggage door



车型介绍 Model Introduction

© GTK6760和6776是我公司专门为出口旅游市场开发的7.6m柴油四轮驱动汽车，采用手动或自动变速器；前置引擎；内部或外部空调，3200车高，通行性好；

左右驾驶室门+中间乘客门+后行李门；
气动平移行李门+手动平移行李门，确保公交车有足够的行李空间。

GTK6760 and 6776 is a 7.6m diesel 4 Rear drive bus specially developed for export tourism market. Manual or Automatic Transmission is adopted. Front engine. Internal or external air conditioning, 3200 vehicle height, good trafficability. Left and right cab door + middle passenger door + rear luggage door. Pneumatic translation luggage door + manual translation luggage door, to ensure that the bus has enough luggage space.

B GTK6826和6836是专门为出口旅游市场开发的8.2m柴油4x2后驱驱动客车，采用艾里逊4*2后驱驱动分动箱；前置引擎；内部或外部空调，车高2950，交通便利；

左右驾驶室门+中间乘客门+后行李门；
气动平移行李门+手动平移行李门，确保公交车有足够的行李空间。

GTK6826 and 6836 is a 8.2m diesel 4x2 Rear drive bus specially developed for export tourism market. Allison 4*2 rear drive transfer box is adopted. Front engine. Internal or external air conditioning, 2950 vehicle height, good trafficability. Left and right cab door + middle passenger door + rear luggage door. Pneumatic translation luggage door + manual translation luggage door, to ensure that the bus has enough luggage space.

外观展示 Appearance Display



正面展示 FRONT DISPLAY



侧面展示 SIDE DISPLAY



背面展示 BACK DISPLAY


内饰展示 Interior Display



驾驶室 CONTROLS



车舱 CABIN



仪表盘 INSTRUMENT PANEL



阅读灯 READING LIGHT


参数配置 Parameter Configuration

Vehicle Type 登车型号	GTK6760	GTK6776	GTK6826	GTK6836
Overall Dimensions 总尺寸(L*W*H)	7600*2440*3200 mm	7550*2440*3100 mm	8200*2450*2850 mm	8290*2390*2950 mm
Max. Speed 最高速度	100 km/h			
Max. Loading Mass 最大总质量	8400 kg	10000KG	10000KG	11900KG
Seats Capacity (pcs) 载客量	27+1+1(2+2)		35+1(2+2)	
Drive Form 驱动形式	4x4	4x2	4x2	4x2
Engine Type 发动机型号	Weichai /Yuchai/Cummins			
Transmission Type 变速箱型号	Manual/Automatic			
Emission Standard 排放	Euro III/IV/V/VI			
Fuel Type 燃料类型	Diesel/electric			

座椅布置 Seat Layout



GTK6760/GTK6776



GTK6826/GTK6836

GTK6926



车型介绍 Model Introduction

<> GTK692616是我公司的9米车型。具有高燃油效率的Euro 6发动机可降低车辆运营成本。MTK692616的高品质确保了公共汽车的出色功能和乘客的舒适度。
 GTK692616 is a 9-meter model. The Euro 6 engine with high fuel efficiency will reduce vehicle operating cost. The high quality of GTK692616 ensures the excellent functions of the bus and the comfort of passengers.

低油耗，高可靠性，高输出功率和扭矩。仅4.5升的排量约240匹马力的功率使其更加高效。自动变速箱可以立即提高车辆的工作效率。
 Low fuel consumption, high reliability, high output power and torque. Only 4.5L liters of displacement and about 240 horsepower make it more efficient. The automatic gearbox can immediately improve the working efficiency of the vehicle.
 Total Driving Pleasure, World-Class Safety and Environmental Performance.

全面的驾驶乐趣，世界一流的先进性和环境性能。
 Total Driving Pleasure, World-Class Safety and Environmental Performance.

>外观展示 Appearance Display



正面展示FRONT DISPLAY



侧面展示SIDE DISPLAY



背面展示BACK DISPLAY

>内饰展示 Interior Display



驾驶室 CONTROLS




车舱 CABIN

<参数配置 Parameter Configuration

Vehicle Type 整车型号	GTK6926
Overall Dimensions 总尺寸(L*W*H)	9150*2350*3000 mm
Max. Speed 最高速度	120 km/h
Max. Loading Mass 最大总质量	8360KG
Seats Capacity (pcs) 载客量	37+1 (2+2)/option
Engine Type 发动机型号	Weichai /Yuchai/Cummins
Transmission Type 变速箱型号	Manual/Automatic
Emission Standard 排放	Euro II /III/IV/V /VI
Fuel Type 燃料类型	Diesel/Electric

座椅布置 Seat Layout



GTK6926